

2014 Ryan White HIV/AIDS Program Services Report Overview

Antigone Dempsey
Division Director, Policy and Data

March 2, 2016

HIV/AIDS Bureau
Health Resources and Services Administration
Department of Health and Human Services


RSR 2014 - What's New

- Deleted items not used or not reported (e.g., first service date)
- Modified items
 - Poverty level categories
 - Health insurance categories expanded
 - Removed 'Unknown' response option for items providers should know (e.g., poverty level, HIV/AIDS status, and health insurance coverage)
- New data items
 - New subgroups for Hispanic, Asian, or Native Hawaiian/Pacific Islander
 - Sex at birth
 - Newly diagnosed - date of first documented positive test
 - Newly diagnosed - date of first outpatient ambulatory medical care (OAMC) visit

Ryan White HIV/AIDS Program Clients


- The RWHAP serves over half a million people each year
- 2014
 - 512,214 clients
 - 96% were living with HIV

RWHAP Clients, by Age Group, 2010–2014




In 2014, people aged 50 years and older accounted for 40% of all RWHAP clients, an increase from 32% in 2010 (increase of >30,000 clients)

RWHAP Clients, by Gender, 2014




RWHAP Clients, by Race/Ethnicity, 2014




* Hispanics/Latinos can be of any race.

RWHAP Clients, by Gender and Race/Ethnicity, 2014




* Hispanics/Latinos can be of any race.


RWHAP Clients, by Health Care Coverage, 2014



RWHAP Clients, by Federal Poverty Level and Health Care Coverage, 2014




RWHAP Clients, by Gender and Federal Poverty Level, 2014



■ ≤100% FPL
 ■ 101-138% FPL
 ■ 139-250% FPL
 ■ 251-400% FPL
 ■ >400% FPL

FPL: Federal Poverty Level

RWHAP Clients, by Housing Status, 2014



Retention in Care and Viral Suppression

Retention in care

≥1 OAMC visit during January through September 1, 2014 with ≥1 OAMC visit at least 90 days after the first visit


Viral suppression

≥ 1 OAMC visit during the calendar year and had ≥1 viral load reported whose last viral load was <200 copies/mL

Retention in Care among RWHAP Clients, 2014

Lower than overall RWHAP retention by $\geq 5\%$

Higher than overall RWHAP retention by $\geq 5\%$




Population

Viral Suppression among RWHAP Clients, 2014

Lower than overall RWHAP viral suppression by $\geq 5\%$


Higher than overall RWHAP viral suppression by $\geq 5\%$



Ryan White HIV/AIDS Program Inaugural Client-Level Data Report

Outline

- Background
- Overview of report



Background

- **National focus on data**
 - Program monitoring and evaluation
 - National HIV/AIDS Strategy for the United States: Updated to 2020 (NHAS 2020)
- **Ryan White HIV/AIDS Program Services Report (RSR) data have matured and are ready to be used more broadly**
 - 5 years of data available 2010-2014
- **Expand the availability of and access to Ryan White HIV/AIDS Program client-level information**
- **First annual publication of national RWHAP client-level data collected through the RSR**

Overview of Report

Data Used

- **Data from 50 states, the District of Columbia, Guam, Puerto Rico, and the U.S. Virgin Islands**
- **Calendar years 2010–2014**
- **Data are not Part-specific – all tables include all clients served, regardless of the RWHAP funding stream**
- **Data do not include:**
 - Specific services rendered
 - Information about the AIDS Drug Assistance Program (ADAP)
 - Does not imply the clients did not receive ADAP services

Data Analyses

Sociodemographic Data

Includes:

- Age
- Gender
- Race/ethnicity
- Transmission risk category
- Federal poverty level (FPL)
- Health care coverage
- Housing status

Population: all RWHAP clients regardless of HIV serostatus

- PLWH
- Uninfected clients (e.g., families of PLWH served, people who receive RWHAP counseling and testing services)

Retention in Care and Viral Suppression Data

- **Overall RWHAP client population**
- **Key priority populations identified by the NHAS 2020**
- **Population:** PLWH who meet the criteria for the specified analysis

Report Structure

- **Commentary, includes highlights from the tables**
- **Technical notes**
- **Data tables organized into 3 sections**
 - **Section 1** (Tables 1–8): clients served by the RWHAP (non-ADAP), presented by selected stratifications
 - **Section 2** (Tables 9–11): clients served by the RWHAP (non-ADAP), presented by state
 - **Section 3** (Tables 12a– 20b): retention in care and viral suppression among clients served by the RWHAP (non-ADAP), presented by selected demographics, by state and by priority population

Table 1. Ryan White HIV/AIDS Program clients (non-ADAP), by year and selected characteristics, 2010–2014—United States and 3 territories

	2010		2011		2012		2013		2014	
	No.	%	No.	%	No.	%	No.	%	No.	%
Age group (yr)										
<13	11,495	2.1	10,824	2.0	8,481	1.6	6,515	1.2	6,571	1.3
13–14	1,672	0.3	1,540	0.3	1,254	0.2	1,035	0.2	863	0.2
15–19	9,090	1.6	7,979	1.4	6,411	1.2	5,853	1.1	5,443	1.1
20–24	26,127	4.7	26,002	4.7	24,800	4.6	24,701	4.7	23,260	4.5
25–29	36,415	6.6	37,539	6.8	37,504	7.0	39,014	7.4	39,761	7.8
30–34	46,753	8.4	47,243	8.5	46,111	8.6	45,498	8.7	43,915	8.6
35–39	57,813	10.4	54,537	9.8	51,008	9.5	49,327	9.4	47,682	9.3
40–44	85,602	15.4	80,113	14.4	72,407	13.5	65,287	12.4	58,589	11.4
45–49	105,153	18.9	102,460	18.5	95,254	17.8	88,035	16.8	79,175	15.5
50–54	83,429	15.0	86,190	15.5	86,599	16.2	87,265	16.6	86,807	17.0
55–59	51,376	9.2	55,391	10.0	57,434	10.7	59,501	11.3	61,645	12.0
60–64	24,880	4.5	27,587	5.0	29,991	5.6	31,948	6.1	34,944	6.8
≥65	16,350	2.9	17,226	3.1	18,946	3.5	20,693	3.9	23,361	4.6
Subtotal	555,955	100.0	554,631	100.0	536,200	100.0	524,672	100.0	512,016	100.0
Race/ethnicity										
American Indian/Alaska Native	2,922	0.5	2,796	0.5	2,645	0.5	2,629	0.5	2,375	0.5
Asian	5,238	1.0	5,341	1.0	5,687	1.1	5,868	1.1	5,873	1.2
Black/African American	256,136	47.2	255,645	47.3	245,828	46.7	242,593	46.8	239,537	47.2
Hispanic/Latino ^a	119,840	22.1	118,800	22.0	119,676	22.7	116,862	22.6	112,833	22.2
Native Hawaiian/Pacific Islander	1,105	0.2	1,143	0.2	941	0.2	935	0.2	852	0.2
White	152,115	28.0	150,466	27.8	144,245	27.4	140,810	27.2	136,949	27.0
Multiple races	5,719	1.1	6,591	1.2	7,224	1.4	8,211	1.6	9,143	1.8
Subtotal	543,075	100.0	540,782	100.0	526,246	100.0	517,908	100.0	507,562	100.0
Gender										
Male	380,893	68.5	382,984	69.1	375,267	70.0	370,140	70.6	361,323	70.6
Female	170,543	30.7	166,711	30.1	155,752	29.1	149,152	28.4	144,982	28.3
Transgender	4,326	0.8	4,718	0.9	5,027	0.9	5,172	1.0	5,467	1.1
Subtotal	555,762	100.0	554,413	100.0	536,046	100.0	524,464	100.0	511,772	100.0
Transmission risk category										
Male-to-male sexual contact	186,451	39.3	194,780	39.9	200,631	41.9	207,236	42.7	207,383	44.9
Injection drug use	47,537	10.0	45,179	9.3	41,757	8.7	40,491	8.3	36,679	8.0
Male-to-male sexual contact and injection drug use	10,967	2.3	11,041	2.3	11,349	2.4	11,091	2.3	11,270	2.4
Heterosexual contact ^b	187,935	39.6	194,736	39.9	191,051	39.9	190,563	39.2	189,591	41.1
Perinatal infection	13,722	2.9	14,507	3.0	12,780	2.7	11,861	2.4	11,975	2.6
Other ^c	28,369	6.0	27,808	5.7	21,382	4.5	24,368	5.0	4,888	1.0
Subtotal	474,981	100.0	488,051	100.0	478,950	100.0	485,610	100.0	461,586	100.0

Table 1. Ryan White HIV/AIDS Program clients (non-ADAP), by year and selected characteristics, 2010–2014—United States and 3 territories (cont)

	2010		2011		2012		2013		2014	
	No.	%	No.	%	No.	%	No.	%	No.	%
Poverty level^d										
0–100%	292,427	67.1	321,865	67.2	322,347	66.7	332,247	67.6	—	—
101–200%	92,869	21.3	102,499	21.4	105,421	21.8	107,631	21.9	—	—
201–300%	27,871	6.4	31,106	6.5	32,398	6.7	33,183	6.8	—	—
>300%	22,465	5.2	23,466	4.9	22,885	4.7	18,738	3.8	—	—
Subtotal	435,632	100.0	478,936	100.0	483,051	100.0	491,799	100.0	—	—
0–100%	—	—	—	—	—	—	—	—	304,168	64.2
101–138%	—	—	—	—	—	—	—	—	57,396	12.1
139–250%	—	—	—	—	—	—	—	—	69,999	14.8
251–400%	—	—	—	—	—	—	—	—	26,420	5.6
>400%	—	—	—	—	—	—	—	—	15,500	3.3
Subtotal	—	—	—	—	—	—	—	—	473,483	100.0
Health care coverage^e										
Private only	58,248	12.8	64,269	13.1	64,947	13.0	61,934	12.4	—	—
Medicare only	42,279	9.3	44,932	9.2	44,293	8.9	44,341	8.9	—	—
Medicaid only	130,123	28.5	137,114	27.9	130,062	26.0	127,096	25.5	—	—
Other public	35,821	7.9	34,347	7.0	41,381	8.3	41,473	8.3	—	—
Other private	17,163	3.8	13,427	2.7	9,100	1.8	6,609	1.3	—	—
No coverage	115,171	25.3	133,341	27.2	137,761	27.6	138,447	27.8	—	—
Multiple coverages	57,061	12.5	63,389	12.9	72,173	14.4	78,346	15.7	—	—
Subtotal	455,866	100.0	490,819	100.0	499,717	100.0	498,246	100.0	—	—
Private employer	—	—	—	—	—	—	—	—	30,410	6.3
Private individual	—	—	—	—	—	—	—	—	25,762	5.3
Medicare	—	—	—	—	—	—	—	—	48,750	10.0
Medicaid	—	—	—	—	—	—	—	—	162,372	33.4
Medicare and Medicaid	—	—	—	—	—	—	—	—	37,617	7.7
Veterans Administration	—	—	—	—	—	—	—	—	1,302	0.3
Indian Health Service	—	—	—	—	—	—	—	—	115	0.0
Other plan	—	—	—	—	—	—	—	—	19,425	4.0
No coverage	—	—	—	—	—	—	—	—	123,273	25.4
Multiple coverages	—	—	—	—	—	—	—	—	37,036	7.6
Subtotal	—	—	—	—	—	—	—	—	486,062	100.0
Housing status										
Stable	378,842	82.0	400,930	82.4	403,976	83.1	404,743	83.3	402,175	83.5
Temporary	65,833	14.2	66,727	13.7	62,468	12.9	60,233	12.4	56,868	11.8
Unstable	17,617	3.8	18,657	3.8	19,702	4.1	21,001	4.3	22,702	4.7
Subtotal	462,292	100.0	486,314	100.0	486,146	100.0	485,977	100.0	481,745	100.0
Total^f	556,175	—	554,646	—	536,219	—	524,675	—	512,214	—

^a Hispanics/Latinos can be of any race.

^b Heterosexual contact with a person known to have, or to be at high risk for, HIV infection.

^c Includes hemophilia, blood transfusion, and unknown risk factor.

^d Data collected in 2014 used different categories than previous years. See Technical Notes for additional details.

^e Subtotals for each subpopulation are displayed to reflect the denominator used for the percentage calculation of each subpopulation; due to missing data, the values in each column may not sum to the column total.

Table 13a. Viral suppression among Ryan White HIV/AIDS Program clients (non-ADAP), by year and selected characteristics, 2010–2014—United States and 3 territories

	2010			2011			2012			2013			2014		
	Total No.	Viral Suppression		Total No.	Viral Suppression		Total No.	Viral Suppression		Total No.	Viral Suppression		Total No.	Viral Suppression	
		No.	%		No.	%		No.	%		No.	%		No.	%
Age group (yr)															
<13	1,260	904	71.8	1,186	827	69.7	1,099	854	77.7	1,040	834	80.2	1,021	856	83.8
13–14	520	346	66.5	537	365	68.0	427	310	72.6	344	257	74.7	319	265	83.1
15–19	3,079	1,572	51.1	3,114	1,622	52.1	2,771	1,519	54.8	2,470	1,488	60.2	2,329	1,497	64.3
20–24	11,595	5,156	44.5	12,503	6,186	49.5	13,647	7,126	52.2	14,207	8,474	59.7	13,591	8,726	64.2
25–29	18,009	9,832	54.6	19,355	11,421	59.0	21,316	13,282	62.3	23,191	15,682	67.6	24,238	17,167	70.8
30–34	23,374	14,410	61.7	24,377	16,068	65.9	25,675	17,669	68.8	26,644	19,397	72.8	26,329	20,034	76.1
35–39	28,684	19,350	67.5	27,814	19,538	70.3	28,266	20,528	72.6	28,507	21,679	76.1	28,366	22,286	78.6
40–44	41,455	29,202	70.4	39,955	29,296	73.3	39,190	29,517	75.3	36,814	29,003	78.8	34,226	27,803	81.2
45–49	49,405	36,212	73.3	49,863	37,844	75.9	50,543	39,315	77.8	48,146	38,876	80.8	44,591	37,160	83.3
50–54	37,764	28,377	75.1	40,781	31,711	77.8	44,484	35,603	80.0	46,029	38,296	83.2	47,013	40,236	85.6
55–59	22,629	17,643	78.0	25,695	20,637	80.3	28,995	24,005	82.8	30,441	26,050	85.6	32,309	28,364	87.8
60–64	10,795	8,794	81.5	12,678	10,628	83.8	14,787	12,637	85.5	16,089	14,179	88.1	18,002	16,199	90.0
≥65	6,532	5,459	83.6	7,336	6,347	86.5	8,839	7,782	88.0	9,745	8,830	90.6	11,369	10,458	92.0
Race/ethnicity															
American Indian/Alaska Native	1,246	877	70.4	1,174	875	74.5	1,210	923	76.3	1,263	986	78.1	1,192	989	83.0
Asian	2,641	2,081	78.8	2,825	2,344	83.0	3,300	2,721	82.5	3,320	2,908	87.6	3,424	3,050	89.1
Black/African American	118,257	74,827	63.3	124,332	83,370	67.1	130,129	90,972	69.9	132,115	97,658	73.9	132,079	101,827	77.1
Hispanic/Latino ^a	56,038	41,237	73.6	58,857	44,738	76.0	65,068	50,689	77.9	67,673	55,084	81.4	69,183	58,086	84.0
Native Hawaiian/Pacific Islander	488	344	70.5	593	462	77.9	450	356	79.1	427	328	76.8	392	317	80.9
White	70,583	53,829	76.3	69,810	55,167	79.0	72,663	59,144	81.4	71,841	60,556	84.3	70,112	60,734	86.6
Multiple races	2,774	1,952	70.4	3,111	2,264	72.8	3,794	2,826	74.5	4,548	3,567	78.4	5,343	4,425	82.8
Gender															
Male	178,220	126,369	70.9	184,918	136,471	73.8	197,929	150,129	75.9	200,207	158,779	79.3	200,093	164,193	82.1
Female	75,024	49,746	66.3	78,055	54,575	69.9	79,567	58,259	73.2	80,897	62,420	77.2	80,865	64,837	80.2
Transgender	1,886	1,160	61.5	2,182	1,422	65.2	2,519	1,741	69.1	2,538	1,831	72.1	2,719	2,013	74.0
Transmission risk category															
Male-to-male sexual contact	99,602	71,630	71.9	103,972	77,961	75.0	114,611	87,874	76.7	118,606	95,004	80.1	121,192	100,312	82.8
Injection drug use	22,401	15,342	68.5	22,348	15,870	71.0	21,351	15,946	74.7	22,106	17,345	78.5	19,875	16,106	81.0
Male-to-male sexual contact and injection drug use	6,347	4,515	71.1	6,133	4,499	73.4	6,414	4,730	73.7	5,824	4,491	77.1	6,104	4,853	79.5
Heterosexual contact ^b	96,328	65,299	67.8	101,712	72,422	71.2	107,349	79,419	74.0	110,438	86,010	77.9	113,416	91,816	81.0
Perinatal infection	5,024	3,070	61.1	5,411	3,183	58.8	5,258	3,233	61.5	5,317	3,430	64.5	5,281	3,643	69.0
Other ^c	9,661	6,579	68.1	11,253	8,062	71.6	10,023	7,513	75.0	10,731	8,446	78.7	2,292	1,956	85.3

Table 13a. Viral suppression among Ryan White HIV/AIDS Program clients (non-ADAP), by year and selected characteristics, 2010–2014—United States and 3 territories (cont)

	2010			2011			2012			2013			2014		
	Total No.	Viral Suppression		Total No.	Viral Suppression		Total No.	Viral Suppression		Total No.	Viral Suppression		Total No.	Viral Suppression	
		No.	%		No.	%		No.	%		No.	%		No.	%
Poverty level^d															
0–100%	143,210	96,335	67.3	164,839	115,744	70.2	174,430	126,156	72.3	184,640	139,850	75.7	—	—	—
101–200%	46,327	35,187	76.0	51,487	40,432	78.5	56,119	44,928	80.1	59,759	50,161	83.9	—	—	—
201–300%	13,130	10,398	79.2	14,588	11,874	81.4	16,426	13,499	82.2	18,198	15,632	85.9	—	—	—
>300%	11,008	7,941	72.1	11,491	8,709	75.8	12,683	10,348	81.6	11,793	10,360	87.9	—	—	—
0–100%	—	—	—	—	—	—	—	—	—	—	—	—	176,449	139,172	78.9
101–138%	—	—	—	—	—	—	—	—	—	—	—	—	32,830	27,881	84.9
139–250%	—	—	—	—	—	—	—	—	—	—	—	—	39,535	34,563	87.4
251–400%	—	—	—	—	—	—	—	—	—	—	—	—	14,462	12,617	87.2
>400%	—	—	—	—	—	—	—	—	—	—	—	—	8,535	7,279	85.3
Health care coverage^a															
Private only	28,609	22,001	76.9	29,070	23,267	80.0	32,915	27,220	82.7	32,774	28,112	85.8	—	—	—
Medicare only	19,446	14,943	76.8	20,554	16,488	80.2	20,988	17,169	81.8	21,149	17,811	84.2	—	—	—
Medicaid only	57,968	37,423	64.6	64,212	43,324	67.5	63,598	45,080	70.9	63,294	47,178	74.5	—	—	—
Other public	19,264	14,138	73.4	18,891	14,086	74.6	26,700	20,246	75.8	25,763	20,445	79.4	—	—	—
Other private	10,503	7,568	72.1	9,155	6,917	75.6	5,241	4,011	76.5	3,346	2,670	79.8	—	—	—
No coverage	67,972	44,478	65.4	80,748	56,270	69.7	85,261	60,661	71.2	91,184	68,718	75.4	—	—	—
Multiple coverages	29,815	22,230	74.6	31,583	24,214	76.7	38,395	30,681	79.9	40,769	34,007	83.4	—	—	—
Private employer	—	—	—	—	—	—	—	—	—	—	—	—	17,865	15,768	88.3
Private individual	—	—	—	—	—	—	—	—	—	—	—	—	14,696	12,909	87.8
Medicare	—	—	—	—	—	—	—	—	—	—	—	—	24,566	21,474	87.4
Medicaid	—	—	—	—	—	—	—	—	—	—	—	—	88,553	69,748	78.8
Medicare and Medicaid	—	—	—	—	—	—	—	—	—	—	—	—	18,300	15,722	85.9
Veterans Administration	—	—	—	—	—	—	—	—	—	—	—	—	419	375	89.5
Indian Health Service	—	—	—	—	—	—	—	—	—	—	—	—	69	56	81.2
Other plan	—	—	—	—	—	—	—	—	—	—	—	—	11,259	9,408	83.6
No coverage	—	—	—	—	—	—	—	—	—	—	—	—	83,454	64,573	77.4
Multiple coverages	—	—	—	—	—	—	—	—	—	—	—	—	19,956	17,218	86.3
Housing status															
Stable	191,214	136,184	71.2	205,573	152,509	74.2	221,603	169,222	76.4	229,596	183,930	80.1	233,438	193,210	82.8
Temporary	30,287	19,305	63.7	33,380	22,559	67.6	33,510	23,431	69.9	34,219	25,155	73.5	34,012	26,189	77.0
Unstable	5,994	3,285	54.8	7,828	4,812	61.5	7,379	4,421	59.9	9,341	6,007	64.3	10,621	7,124	67.1
Total^b	255,172	177,300	69.5	265,195	192,491	72.6	280,045	210,152	75.0	283,669	223,046	78.6	283,811	231,140	81.4

Viral suppression was based on data for PLWH who had at least 1 outpatient ambulatory medical care visit during the measurement year and whose most recent viral load test result was <200 copies/mL.

^a Hispanics/Latinos can be of any race.

^b Heterosexual contact with a person known to have, or to be at high risk for, HIV infection.

^c Includes hemophilia, blood transfusion, and unknown risk factor.

^d Data collected in 2014 used different categories than previous years. See Technical Notes for additional details.

Table 13b. Viral Suppression among Ryan White HIV/AIDS Program clients (non-ADAP), by race/ethnicity and state, 2010–2014—United States and 3 territories

State	2010			2011			2012			2013			2014		
	Total No.	Viral Suppression		Total No.	Viral Suppression		Total No.	Viral Suppression		Total No.	Viral Suppression		Total No.	Viral Suppression	
		No.	%		No.	%		No.	%		No.	%		No.	%
Alabama	3,727	2,492	66.9	3,974	2,805	70.6	3,864	2,820	73.0	4,179	3,104	74.3	3,885	2,846	73.3
Alaska	305	210	68.9	300	212	70.7	284	208	73.2	299	235	78.6	316	263	83.2
Arizona	724	440	60.8	623	393	63.1	1,049	664	63.3	1,009	791	78.4	695	570	82.0
Arkansas	1,206	1,001	83.0	1,533	1,288	84.0	1,826	1,438	78.8	2,163	1,884	87.1	2,065	1,785	86.4
California	32,459	24,431	75.3	35,408	27,507	77.7	38,248	29,818	78.0	30,443	24,955	82.0	26,109	21,914	83.9
Colorado	3,511	2,659	75.7	2,999	2,390	79.7	2,501	1,911	76.4	3,498	2,886	82.5	3,619	3,101	85.7
Connecticut	3,575	2,539	71.0	3,929	2,828	72.0	4,398	3,444	78.3	3,713	3,028	81.6	3,521	3,013	85.6
Delaware	1,517	1,047	69.0	1,553	1,162	74.8	1,564	1,210	77.4	1,552	1,239	79.8	1,527	1,276	83.6
District of Columbia	5,589	3,731	66.8	5,889	4,543	77.1	5,496	4,149	75.5	5,659	4,354	76.9	4,926	4,096	83.2
Florida	24,438	16,227	66.4	22,789	15,424	67.7	25,024	18,016	72.0	24,842	19,313	77.7	27,644	22,439	81.2
Georgia	15,221	10,267	67.5	15,887	11,651	73.3	15,613	11,409	73.1	17,543	13,222	75.4	17,725	13,846	78.1
Hawaii	349	268	76.8	383	273	71.3	355	253	71.3	293	221	75.4	497	424	85.3
Idaho	193	156	80.8	207	169	81.6	245	213	86.9	241	210	87.1	190	173	91.1
Illinois	7,636	5,318	69.6	11,368	8,401	73.9	12,854	10,085	78.5	13,433	10,718	79.8	12,964	10,676	82.4
Indiana	600	349	58.2	202	114	56.4	613	393	64.1	721	501	69.5	2,204	1,890	85.8
Iowa	906	675	74.5	920	724	78.7	635	521	82.1	666	556	83.5	501	458	91.4
Kansas	459	334	72.8	768	590	76.8	909	715	78.7	533	423	79.4	436	352	80.7
Kentucky	2,940	1,964	66.8	2,929	2,169	74.1	2,919	2,210	75.7	2,694	2,142	79.5	2,409	2,030	84.3
Louisiana	5,804	3,071	52.9	5,787	3,108	53.7	6,026	3,688	61.2	5,615	3,566	63.5	5,235	3,701	70.7
Maine	323	258	79.9	316	260	82.3	478	410	85.8	516	463	89.7	504	456	90.5
Maryland	6,202	3,952	63.7	7,414	5,179	69.9	7,386	5,465	74.0	8,583	6,757	78.7	7,389	5,923	80.2
Massachusetts	5,293	4,228	79.9	4,231	3,492	82.5	4,867	4,096	84.2	6,641	5,662	85.3	6,750	5,979	88.6
Michigan	4,887	3,362	68.8	5,322	3,816	71.7	5,745	4,289	74.7	4,871	3,924	80.6	4,627	3,865	83.5
Minnesota	2,271	1,774	78.1	2,138	1,704	79.7	2,096	1,706	81.4	2,419	2,084	86.2	1,979	1,741	88.0
Mississippi	1,302	722	55.5	1,261	784	62.2	1,582	935	59.1	1,552	1,080	69.6	1,461	1,081	74.0
Missouri	2,387	1,577	66.1	1,499	905	60.4	1,694	1,206	71.2	2,199	1,687	76.7	1,746	1,384	79.3
Montana	251	205	81.7	226	197	87.2	222	205	92.3	190	169	89.0	202	188	93.1
Nebraska	449	317	70.6	500	385	77.0	492	380	77.2	469	379	80.8	416	354	85.1
Nevada	1,050	697	66.4	974	712	73.1	1,047	773	73.8	1,187	811	68.3	1,282	859	67.0
New Hampshire	377	309	82.0	448	375	83.7	287	250	87.1	408	365	89.5	147	124	84.4
New Jersey	9,836	6,063	61.6	9,720	6,254	64.3	10,360	7,439	71.8	10,438	7,941	76.1	9,032	7,247	80.2
New Mexico	1,382	1,116	80.8	926	726	78.4	990	805	81.3	1,603	1,393	86.9	1,651	1,481	89.7
New York	24,483	16,255	66.4	29,496	20,436	69.3	29,404	21,886	74.4	26,905	21,141	78.6	29,341	23,456	79.9
North Carolina	9,894	7,168	72.5	9,797	7,321	74.7	11,182	8,543	76.4	10,311	8,070	78.3	10,072	8,176	81.2
North Dakota	43	38	88.4	39	38	97.4	57	48	84.2	70	62	88.6	70	67	95.7
Ohio	3,824	2,337	61.1	3,728	2,671	71.7	4,769	3,443	72.2	7,050	5,461	77.5	6,870	5,554	80.8
Oklahoma	1,344	983	73.1	1,323	971	73.4	1,540	1,113	72.3	1,918	1,502	78.3	1,931	1,579	81.8
Oregon	1,277	942	73.8	1,355	1,044	77.1	1,330	1,067	80.2	1,491	1,232	82.6	1,140	965	84.7
Pennsylvania	15,053	11,194	74.4	14,619	11,031	75.5	15,910	12,411	78.0	17,120	13,900	81.2	16,014	13,475	84.2
Rhode Island	1,281	963	75.2	1,311	1,058	80.7	1,392	1,152	82.8	1,520	1,317	86.6	1,462	1,291	88.3
South Carolina	6,805	4,982	73.2	7,464	5,560	74.5	8,270	6,363	76.9	8,730	6,943	79.5	8,762	7,162	81.7

Ryan White HIV/AIDS Program Annual Client-Level Data Report 2014

Find the report online at the
HRSA HIV/AIDS Bureau website:

<http://hab.hrsa.gov/data/servicesdelivered.html>

Acknowledgements

Publication of this report was made possible by the contributions of the Ryan White HIV/AIDS Program recipients and subrecipients that provided RSR data to HRSA

Questions?

Thank you!